

# IN THE UNITED STATES PATENT AND TRADMARK OFFICE

licants: Altenbach, et al.

Serial No.: 10/689,735

Filed: October 22, 2003

Title: BICYCLIC-SUBSTITUTED AMINES AS HISTAMINE-3 RECEPTOR LIGANDS

Case No.: 7000US02

Group Art No.: 1614

Examiner: (not yet assigned)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 on:

Date of Deposit: March \_\_\_\_\_\_\_, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## TRANSMITTAL LETTER

Dear Sir:

Enclosed herewith for the patent application identified above entitled BICYCLIC-SUBSTITUTED AMINES AS HISTAMINE-3 RECEPTOR LIGANDS are the following:

- Information Disclosure Statement; 1.
- Form PTO 1449, in duplicate; 2.
- References as cited on PTO 1449 (91 references); and 3.
- Return Receipt Postcard. 4.

The Commissioner is hereby authorized to charge any additional Filing Fees required under 37 CFR §1.16, as well as any patent application processing fees under 37 CFR §1.17 associated with this communication for which full payment had not been tendered, to Deposit Account No. 01-0025.

ABBOTT LABORATORIES

Customer Number 23492 Telephone: (847) 937-8272

Facsimile: (847) 938-2623

Respectfully submitted,

Altenbach, et al.

Registration No. 44,075 Attorney for Applicants

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

licants: Altenbach, et al.

Serial No.: 10/689,735

Filed: October 22, 2003

Title: BICYCLIC-SUBSTITUTED AMINES AS HISTAMINE-3 RECEPTOR LIGANDS

Case No.: 7000US02

Group Art No.: 1614

Examiner: (not yet assigned)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the:

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450 on:

Date of Deposit: March 17, 2004

Tanya Parent

Date

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

#### INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(b), Applicants bring to the attention of the Examiner the documents listed on the attached PTO 1449. This Information Disclosure Statement is being filed, to the knowledge of the undersigned, before the mailing date of a first Office Action on the merits. Applicants respectfully petition and request that the Examiner consider the listed documents and evidence such consideration by making appropriate notations on the attached form. Copies of the listed documents are attached.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

The Commissioner is authorized to charge our Deposit Account any additional fees (or credit any over payments) that may be required under 37 C.F.R. §§ 1.16 and 1.17 in association with this communication for which full payment has not been tendered.

ABBOTT LABORATORIES

Customer Number 23492 Telephone: (847) 937-8272 Facsimile: (847) 938-2623 Respectfully submitted, Altenbach, et al.

Altenbach, et al.

Rortia Chen

Registration No. 44,075 Attorney for Applicants

DATE: March 17, 2004

### Form PTO - 1449 (Modified)

(Modified)	449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE				ATTY. DOCKET NO. 7000US02			SERIAL NO. 10/689,735			
		NFORMATION DISCLOS			APPLICANT(S) Altenbach, et al.						
	S	TATEMENT BY APPLIC	CANT								
					FILING DATE GROUP						
	(	(Use several sheets if necessary)			October 22, 2003			1614			
(37 CFR 1.98 (	b))										
			U.S.PATEN	r dag	TINGER NUTC	3					
EXAMINER	_	T	ISSUE ISSUE	ו שטע	UNIENTS	•	ı er	JB	_	FILIN	<u></u>
INITIAL		PATENT NUMBER	DATE	l in	VENTOR	CLASS		ASS		DAT	
	AT	3,639,476	02/01/1972		e, et al.	260	563		П	/29/1	
	A2	6,225,328	05/01/2001	Berna	rdon	514	356		04	/23/1	000
		,									
	A3	6,358,515	03/19/2002	Ogata	, et al.	424	401		07	730/1	999
· · · · · · · · · · · · · · · · · · ·	TO.	NELCH DAMENT O				<del>l</del>					
	FOF	REIGN PATENT O									
		DOCUMENT NUMBER	PUBLIC-ATION DATE		OUNTRY O TENT OFFI		122	CLAS		LAT	NS-
				'''	TELVI OIII			0.0710		YES	
	BI	1,178,400	21.01.1970	GB	1						
	B2	00/06254	10.02.2000	<del> </del> wo	)				+		<del>                                     </del>
-	B3	00/27815	18.05.2000	<del>-   w</del> a	)						
<del></del>	B4	03/093237	13.11.2003	W					_		<u> </u>
	B5		04.08.1994	WO							
	B6	95/01426	12.01.1995	W					1		
	В7	95/09159	06.04.1995	W	)						
	B8	98/38156	03.09.1998	W	)				$\dashv$		
	В9	98/57931	23.12.1998	W	)				7		<del></del>
	1	OTHER ROCKE				- <b>-</b>					<u> </u>
	<u> </u>	OTHER DOCUM	LNTS (Includir	g Auth	or, Title, Da	te, Place of	Publi	cation	)		
	Cl	Airaksinen et al., "H Alzeimer Diseased E	Islamine Neuroi Brains "Neuroso	ns in Hi cience 4	uman Hypoi 14(2):465-4:	inaiamus: / R1 (1991)	Anato	my in	NO	rmai a	and
	C2	Andrés et al., "A Sin					2-Sul	ostitut	ed		
		Pyrrolidines and Pip	eridines From C	Chiral (	R)-Phenylg					1,3-	
		Oxazolidines," Eur.									
	C2	Aranyos et al.,"Nove Catalyzed Preparation	el Electron-Rich	Bulky	Phosphine	Ligands Fa	cilitat	te the 1	Pall	adiun	n -
	C4	Baston et al., "A New									
		Via Pd (O)-Catalyze									
		Triflate," Synthetic (	Communication	28(14)	:2725-2729	(1998)				•	
	C5	Bjenning et al., "Per	pherally Admir	istered	Ciproxifan	Elevates F	lypoth	nalami	сН	istam	ine
		Levels And Potently	Keduces Food	Intake i	n the Sprag	ue Dawley	Rat,"	Hista	min	ie	
ľ		Research In The New Symposium Held In	v ivienennum, l Sendai Tanan 1	77-25 N	ings OF FNG Jovember 20	1111ernafic 100 n 440	ліаі 50 2450	endai .	riis!	ıamın	e
	C6	Dai et al., "The First						Cross	s-C	ounlir	10
		Of Aryl And Vinyl C	Chlorides: Use o	f Comr	nercially Av	ailable Pd	(P( <i>t</i> -E	3u)3)2	as	a	-0
		Catalyst," J. Am. Ch	em Soc 123.27	10 272	4 (2001)						

C8 Delaunois et al., "Modulation Of Acetyicholine, Capsaicin and Substance P Effects by Histamine H3 Receptors in Isolated Perfused Rabbit Lungs," European Journal Of Pharmacology, 277:243–250 (1995).  C9 Dimitriadou et al., "Functional Relationship Between Mast Cells and C-Sensitive Nerver Fibres Evidenced by Histamine H3-Receptor Modulation in Rat Lung and Spleen," Clinical Science, 87:151–163 (1994).  C10 Dohle et al., "Copper-Mediated Cross-Coupling of Functionalized Arylmagnesium Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871–2873 (201)  C11 Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).  C12 Ellingboe et al., "Antihyperglycemic Activity of Novel Naphthalenyl 33H-1,2,35-Ovathadazole 2-Oxides," J. Med. Chem., 36:2485–2493 (1993)  C13 Elworthy et al., "The Configurational Stability of Chiral Lithio a-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-0096 (1994)  C14 Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, Sto-S51 (1998).  C15 Fox et al., "Effects of Histamine H3 Receptor Ligands GT-2231 And Ciproxitan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chroprical Properties of N-Nitrosopyrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Haas et al., subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research 131:151-161 (2002)  C18 Harting, "Transition Media Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(5):475-481 (1996).  C	ļc		et al., "Memory Facilitation by Histamine," Arch. Int. Pharmacodyn., 283:193-198
H3 Receptors in Isolated Perfused Rabbit Lungs," European Journal of Pharmacology, 277:243-250 (1995).  C9 Dimitriadou et al., "Functional Relationship Between Mast Cells and C-Sensitive Nerve Fibres Evidenced by Histamine H3-Receptor Modulation in Rat Lung and Spleen," Clinical Science, 87:151-163 (1994).  C10 Dohle et al., "Copper-Mediated Cross-Coupling of Functionalized Arlyimagnesium Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871-2873 (2001)  C11 Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).  C12 Ellingboe et al., "Antilyperglycemic Activity of Novel Naphthalenyl 3H-1,2,3,5-Oxalhiadiazole 2-Oxides," J Med. Chem. 36:2485-2493 (1993)  C13 Elworthy et al., "The Complexation," Tetrahedron 50(20):6689-6096 (1994)  C14 Fitzsimon et al., "Histamine H3 Receptor Ligands G71-2331 And Ciproxitan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Galfield et al., "Chroptical Properties of N-Nitrosopytrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 64:31-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1988)  C19 Haata et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemial.", "The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997)  C20 Immura et al., "Activation of Histamine H3, Receptor Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(5):475-481 (1996).  C21 Immura et al., "Helweid A Histamine H3 Receptor Photography Active Avoidance Response In Rats," Psychopharmaco		(1986).	
<ul> <li>C9 Dimitriadou et al., "Functional Relationship Between Mast Cells and C-Sensitive Nerve Fibres Evidenced by Histamine H<sub>3</sub>-Receptor Modulation in Rat Lung and Spleen," Clinical Science, 87:151-163 (1994).</li> <li>C10 Dohle et al., "Copper-Mediated Cross-Coupling of Functionalized Arylmagnesium Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871-2873 (2001)</li> <li>C11 Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).</li> <li>C12 Ellingboe et al., "Antihyperglycermic Activity of Novel Naphthalenyl 3H-1,2,3,5-Oxathiadiazole 2-Oxides," J. Med. Chem. 36:2485-2493 (1993)</li> <li>C13 Elworthy et al., "The Configurational Stability of Chiral Littion a-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994)</li> <li>C14 Fitzsimose et al., "Histamine Resports Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, S50-S51 (1998).</li> <li>C15 Fox et al., "Ellicets of Histamine H3 Receptors Ligands GT-2331 And Ciproxitian in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)</li> <li>C16 Galfield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)</li> <li>C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 64:41-44 (1995).</li> <li>C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)</li> <li>C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia. 2." The Journal of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).</li></ul>		H <sub>3</sub> Receptor	rs in Isolated Perfused Rabbit Lungs," European Journal Of Pharmacology, 277:243-
Evidenced by Histamine H <sub>3</sub> -Receptor Modulation in Rat Lung and Spleen," Clinical Science, 87:151-163 (1994).  C10 Dohle et al., "Copper-Mediated Cross-Coupling of Functionalized Arylmagnesium Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871-2873 (2001)  C11 Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain, Res., 67:61-69 (1987).  C12 Ellingboe et al., "Antihyperglycemic Activity of Novel Naphthalenyl 31/-1,2,3,5-Oxathiadiazole 2-Oxides," J. Med. Chem. 36:2485-2493 (1993)  C13 Elworthy et al., "The Configurational Stability of Chiral Lithio α-Amino Carbanions. The Effect of Li-O vs. Li-N. Complexation," Tetrahedron 50(20):6089-6096 (1994)  C14 Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, 550-551 (1998).  C15 Fox et al., "Elfects of Histamine H <sub>3</sub> Receptor Ligands GT-2331 And Ciproxifian in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gatffield et al., "Chropical Properties of N-Nitrosopyrrobidines and N-Nitrosamino Acids." Tetrahedron 37:1861-1869 (1981)  C17 Has et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H <sub>3</sub> Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemial." 2," The Journal Of Pharmacology And Experimental Therapeutics, 283 (2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H <sub>3</sub> Receptors Inhibits Carrier-Mediated Norepinephrine Release Prom Cardiac C Fibers," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H <sub>3</sub> Receptor Antagonist			
Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871-2873 (2001)  C11 Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).  C12 Ellingboe et al., "Antihyperglycemic Activity of Novel Naphithalenyl 3H-1,2,3,5-0xathiadiazole 2-Oxides," J. Med. Chem., 36:2485-2493 (1993).  C13 Elworthy et al., "The Configurational Stability of Chiral Lithio a-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994).  C14 Fitzsimons et al., "Histamine Receptors Signallig in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, S50-S51 (1998).  C15 Fox et al., "Effects of Histamine Haj Receptor Ligands GT-2331 And Ciproxistan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002).  C16 Gaffield et al., "Chirophical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981).  C17 Has et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Iransition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998).  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia <sup>1, 2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 28(2):494-500 (1997).  C20 Imamura et al., "Vactivation of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(3):475-481 (1999).  C23 Kamei et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcit		Evidenced b	by Histamine H <sub>3</sub> -Receptor Modulation in Rat Lung and Spleen," Clinical Science,
2873 (2001) CIT Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain, Res., 67:61-69 (1987) CI2 Ellingboe et al., "Antihyperglycemic Activity of Novel Naphthalenyl 3H-1,2,3,5-0 xathiadiazole 2-Oxdes," J. Med. Chem. 36:2485-2493 (1993) CI3 Elworthy et al., "The Configurational Stability of Chiral Lithio α-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6098-6096 (1994) CI4 Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, S50-S51 (1998). CI5 Fox et al., "Effects of Histamine H3 Receptor Ligands off-2331 And Ciproxitian in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002) CI6 Gaffield et al., "Chiropiteal Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981) CI7 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995). CI8 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998) CI9 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1</sup> , 2," The Journal of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997). C20 Imamura et al., "Activation Of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia <sup>1</sup> , 2," The Journal of Pharmacology and Experimental Therapeutics, 283(2):494-500 (1997). C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calicitorin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(3):475-481 (1996). C22 Information and the Arylation of Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide Y1-Induced Fo	C	0 Dohle et al.,	, "Copper-Mediated Cross-Coupling of Functionalized Arylmagnesium
Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).  C12 Ellingboe et al., "Antihyperglycemic Activity of Novel Naphthalenyl 3H-1,2,3,5-Oxathiadiazole 2-Oxides," J. Med. Chem. 36:2485-2493 (1993).  C13 Elworthy et al., "The Configurational Stability of Chiral Lithio e-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994).  C14 Fizsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, \$50-\$51 (1998).  C15 Fox et al., "Effects of Histamine H3 Receptor Ligands GT-2331 And Ciproxifan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002).  C16 Gaffield et al., "Chiropiteal Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981).  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998).  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia." 2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia." Circulation Research, 78(3):475-481 (1996).  C19 Imamura et al., "Histamine H3 Receptors Antagonist, Powerfully Suppresses Peptide YV-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1996).  C21 Imamura et al., "Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YV-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999).  C23 Kamei et al., "Thipperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YV-Induced Food Intake In Ra		2873 (2001)	
C13 Elworthy et al., "The Configurational Stability of Chiral Lithio a-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994)  C14 Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, \$50-55 (1998).  C15 Fox et al., "Effects of Histamine H3 Receptor Ligands GT-2331 And Ciproxitan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 57:1861-1869 (1981)  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Trillates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia," 2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Research, 78(3):475-481 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3-Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999).  C23 Kame et al., "Filtstamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):453-489 (1996).  C24 Kame et al., "Filtstamine H3-Receptor On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C25 Kame et al., "Filtstamine H3-Receptor On The Step-		Learning in	the Rat," Exp. Brain. Res., 67:61-69 (1987).
Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994)  C14 Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, S50-S51 (1998).  C15 Fox et al., "Effects of Histamine H3 Receptor Ligands GT-2331 And Ciproxifan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia! -2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al.," Activation Of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(3):475-481 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C25 Karrer et al., "He Netwicinal Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An		Oxathiadiaz	cole 2-Oxides," J. Med. Chem. 36:2485-2493 (1993)
Gene Alterations," Inflamm. Res., 47, Supplement 1, 850-851 (1998).  C15 Fox et al., "Effects of Histamine H3 Receptor Ligands GT-2331 And Ciproxifan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chiropiteal Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1, 2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Activation of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 8(8):863-869 (1996).  C22 Inhibition Rayley R		Effect of Li-	-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994)
Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Hase st al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1, 2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pahramacol., 57:473-482 (1991).  C25 Karrer et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Io		Gene Altera	tions," Inflamm. Res., 47, Supplement 1, S50-S51 (1998).
Behavioural Brain Research 131:151-161 (2002)  C16 Gaffield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)  C17 Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hata et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1</sup> , 2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Activation Of Histamine H3-Receptors Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:473-81 (1999).  C23 Kamei et al., "Farticipation Of Histamine In The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Farticipation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 402:657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodide	C		
Acids," Tetrahedron 37:1861-1869 (1981)   C17   Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).   C18   Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)   C19   Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1, 2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).   C20   Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).   C21   Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).   C22   Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)   C23   Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).   C24   Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).   C25   Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)   C26   Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)   C27   Klapars et al., "An General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)   C28   Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)   C29		Behavioural	Brain Research 131:151-161 (2002)
Research, 66:41-44 (1995).  C18 Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1</sup> , <sup>2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Inhibition Carrier A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Hista		Acids," Tetr	rahedron 37:1861-1869 (1981)
Aryl Halides and Triflates: Scope And Mechanism," Ángew. Chem. Int. Ed. 37:2046-2067 (1998)  C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1</sup> , 2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al			
C19 Hatta et al., "Activation of Histamine H3 Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia <sup>1</sup> , <sup>2</sup> ," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).  C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pha	C	Aryl Halides	s and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-
C20 Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).  C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).  C32 Levi et al., "Histamine H3-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of	C	9 Hatta et al., Release in a	"Activation of Histamine H <sub>3</sub> Receptors Inhibits Carrier-Mediated Norepinephrine Human Model of Protracted Myocardial Ischemia <sup>1, 2</sup> ," The Journal Of Pharmacology
C21 Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).  C22 Itoh et al., "Thioperamide, A Histamine H3 Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H1-Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H1-Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).	C	0 Imamura et	al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine
Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)  C23 Kamei et al., "Influence Of Certain H <sub>1</sub> -Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H <sub>1</sub> -Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H <sub>3</sub> -Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H <sub>3</sub> Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H <sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).		I Imamura et Release From	al., "Histamine H <sub>3</sub> -Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide m Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).
Response In Rats," Psychopharmacology, 102:312-318 (1990).  C24 Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H <sub>1</sub> -Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H <sub>3</sub> -Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H <sub>3</sub> Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H <sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).  C32 Levi et al., "Histamine H <sub>3</sub> -Receptors: A New Frontier In Myocardial Ischemia," The Journal Of		Peptide YY-	-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)
Its Inhibition By H <sub>1</sub> -Blockers," Japan J. Pharmacol., 57:473-482 (1991).  C25 Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)  C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H <sub>3</sub> -Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H <sub>3</sub> Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H <sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).  C32 Levi et al., "Histamine H <sub>3</sub> -Receptors: A New Frontier In Myocardial Ischemia," The Journal Of		Response In	n Rats," Psychopharmacology, 102:312-318 (1990).
C26 Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The <i>N</i> -Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).  C32 Levi et al., "Histamine H3-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of		Its Inhibition	n By H <sub>1</sub> -Blockers," Japan J. Pharmacol., 57:473-482 (1991).
Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)  C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)  C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)  C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).  C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).  C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).  C32 Levi et al., "Histamine H3-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of	C	5 Karrer et al.	, "Helvetica Chimica Acta. 34(270):2202-2210 (1951)
<ul> <li>C27 Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)</li> <li>C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)</li> <li>C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).</li> <li>C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).</li> <li>C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).</li> <li>C32 Levi et al., "Histamine H3-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of</li> </ul>	C		
<ul> <li>C28 Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)</li> <li>C29 Leurs et al., "The Histamine H3-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).</li> <li>C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H3 Receptor," Progress In Drug Research, 45:107-165 (1995).</li> <li>C31 Leurs et al., "Therapeutic Potential Of Histamine H3 Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).</li> <li>C32 Levi et al., "Histamine H3-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of</li> </ul>	C	7 Klapars et a Halides And	I., "A General And Efficient Copper Catalyst For The Amidation of Aryl The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-
<ul> <li>C29 Leurs et al., "The Histamine H<sub>3</sub>-Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).</li> <li>C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H<sub>3</sub> Receptor," Progress In Drug Research, 45:107-165 (1995).</li> <li>C31 Leurs et al., "Therapeutic Potential Of Histamine H<sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).</li> <li>C32 Levi et al., "Histamine H<sub>3</sub>-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of</li> </ul>	C	8 Kwong et al	., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An
<ul> <li>C30 Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H<sub>3</sub> Receptor," Progress In Drug Research, 45:107-165 (1995).</li> <li>C31 Leurs et al., "Therapeutic Potential Of Histamine H<sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).</li> <li>C32 Levi et al., "Histamine H<sub>3</sub>-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of</li> </ul>	C	9 Leurs et al.,	"The Histamine H <sub>3</sub> -Receptor: A Target For Developing New Drugs," Progress In
<ul> <li>C31 Leurs et al., "Therapeutic Potential Of Histamine H<sub>3</sub> Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).</li> <li>C32 Levi et al., "Histamine H<sub>3</sub>-Receptors: A New Frontier In Myocardial Ischemia," The Journal Of</li> </ul>			
	C	H <sub>3</sub> Receptor	r," Progress In Drug Research, 45:107-165 (1995).
	C	H <sub>3</sub> Receptor Leurs et al., In Pharm. So	r," Progress In Drug Research, 45:107-165 (1995). "Therapeutic Potential Of Histamine H <sub>3</sub> Receptor Agonists And Antagonists," Trends ci, 19:177-183 (1998).

C33	Li et al., "Highly Active, Air-Stable Versatile Palladium Catalysts For The C-C, C-N, And C-S Bond Formations Via Cross-Coupling Reactions Of Aryl Chlorides," J. Org. Chem. 66:8677-8681 (2001)
C34	
C35	Lin et al., "Involvement Of Histaminergic Neurons In Arousal Mechanisms Demonstrated With H3-Receptor Ligands In The Cat," Brain Research, 523:325-330 (1990).
C36	Lipshutz et al., "Efficient Scavenging Of Ph <sub>3</sub> P And Ph <sub>3</sub> P=O With High-Loading Merrifield Resin," Organic Letters 3(12):1869-1871 (2001)
C37	Lipshutz et al., "Substitution Reactions Of Aryl Chlorides With Organozinc Reagents Catalyzed By Ni(0)," Tetrahedron Letters 40:197-200 (1999)
C38	Littke et al., "Versatile Catalysts For The Suzuki Cross-Coupling Of Arylboronic Acids With Aryl And Vinyl Halides And Triflates Under Mild Conditions," J. Am. Chem. Soc. 122:4020-4028 (2000)
C39	Marcoux et al., "A General Copper-Catalyzed Synthesis Of Diaryl Ethers," J. Am. Chem. Soc. 119:10539-10540 (1997)
C40	Matsubara et al., "UK-14,304, R(-) ∀-Methyl-Histamine And SMS 201-995 Block Plasma Protein Leakage Within Dura Mater By Prejunctional Mechanisms," European Journal Of Pharmacology, 224:145-150 (1992).
C41	Mazurkiewicz-Kwilecki et al., "Changes In The Regional Brain Histamine And Histidine Levels In Postmortem Brains Of Alzheimer Patients," Can. J. Physiol. Pharmacol, 67: 75-78 (1989).
C42	McLeod et al., "Histamine H <sub>3</sub> Antagonists," Progress In Resp. Research 31:133-134 (2001)
C43	Miyaura et al., "Palladium-Catalyzed Cross-Coupling Reactions Of Organoboron Compounds," Chem. Rev. 95:2457-2483 (1995)
C44	Mohanakrishnan et al., "Pd(0)-Mediated Cross Coupling Of 2-Iodoestradiol With Organozinc Bromides: A General Route To The Synthesis Of 2-Alkynyl, 2-Alkenyl And 2-Alkylestradiol Analogs," Synlett. 7:1097-1099 (1999)
C45	Molander et al., "Cross-Coupling Reactions Of Primary Alkylboronic Acids With Aryl Triflates And Aryl Halides," Tetrahedron 58:1465-1470 (2002)
C46	Monti et al., "Effects Of Selective Activation Or Blockade Of The Histamine H <sub>3</sub> Receptor On Sleep And Wakefulness," European Journal Of Pharmacology, 205:283-287 (1991).
C47	Monti et al., "Sleep And Waking During Acute Histamine H <sub>3</sub> Agonist BP2.94 Or H <sub>3</sub> Antagonist Carboperamide (MR 16155) Administration In Rats," Neuropsychopharmacology, 15(1):31-35 (1996).
C48	Murakami et al., "AQ-0145, A Newly Developed Histamine H <sub>3</sub> Antagonist, Decreased Seizure Susceptibility Of Electrically Induced Convulsions In Mice," Meth. Find. Exp. Clin. Pharmacol. 17(C):70-73 (1995)
C49	Nijhuis et al., "Stereochemical Aspects Of The "Tert-Amino Effect." 2. Enantio- And Diastereoselectivity In The Synthesis Of Quinolines, Pyrrolo[1,2-a]Quinolines, And [1,4]Oxazino[4,3-a]Quinolines," J. Org. Chem. 54:209-216 (1989)
C50	Onodera et al., "Neuropharmacology Of The Histaminergic Neuron System In The Brain And Its Relationship With Behavioral Disorders," Progress In Neurobiology, 42:685-702 (1994).
C51	Palomo et al., "Phosphazene Bases For The Preparation Of Biaryl Thioethers From Aryl Iodides And Arenethiols, "Tetrahedron Letters 41:1283-1286 (2000)
C52	Palucki et al., "Palladium-Catalyzed Intermolecular Carbon-Oxygen Bond Formation: A New Synthesis Of Aryl Ethers," J. Am. Chem. Soc. 119:3395-3396 (1997)
C53	Pan et al., "Histaminergic Ligands Attenuate Barrel Rotation in Rats Following Unilateral Labyrinthectomy," Meth. Find Exp. Clin. Pharmacol 20(9):771-777 (1998)
C54	Panula et al., "Brain Histamine In Pathophysiological Conditions And Brain Diseases," The Histamine H <sub>3</sub> Receptor, 243-253 (1998)
C55	Perez-Garcia et al., "Effects Of Histamine H <sub>3</sub> Receptor Ligands In Experimental Models Of Anxiety And Depression," Psychopharmacology 142:215-220 (1999)
C56	Phillips et al., "Recent Advances In Histamine H <sub>3</sub> Receptor Agents," Annual Reports In Medicinal Chemistry, 33:31-40 (1998).
C57	Rouleau, "Bioavailability, Antinociceptive And Antiiflammatory Properties Of BP 2-94, A Histamine H <sub>3</sub> Receptor Agonist Prodrug," The Journal Of Pharmacology And Experimental Therapeutics, 281(3):1085-1094 (1997).

.

C58	Sakai et al., "Effects Of Thioperamide, A Histamine H <sub>3</sub> Receptor Antagonist, On Locomotor Activity And Brain Histamine Content In Mast Cell-Deficient W/W Mice," Life Sciences, 48:2397-2404 (1991).
C59	Schopfer et al., "A General Palladium-Catalysed Synthesis Of Aromatic And
C60	
C61	Reviews 71(1):1-51 (1991)  Schwartz et al., "Histamine," Psychopharmacology: The Fourth Generation Of Progress, 397-405 (1995).
C62	
C63	Sugahara et al., "A Facile Copper-Catalyzed Ullmann Condensation: N-Arylation Of Heterocyclic Compounds Containing an –NHCO- Moiety," Chem. Pharm. Bull. 45(4):719-721 (1997)
C64	Suzuki, "Recent Advances In The Cross-Coupling Reactions Of Organoboron Derivates With Organic Electrophiles, 1995-1998," Journal Of Organometallic Chemistry 576:147-168 (1999)
C65	Szelag, "Role Of Histamine H <sub>3</sub> -Receptors In The Proliferation Of Neoplastic Cells In Vitro," Med. Sci. Monit., 4(5):747-755 (1998).
C66	Tedford et al., "Cognition And Locomotor Activity In The Developing Rat: Comparisons Of Histamine H <sub>3</sub> Receptor Antagonists And ADHD Therapeutics," Society For Neuroscience Abstr., 22:22 (1996).
C67	Tedford et al., "Pharmacological Characterization Of GT-2016, A Non-Thiourea-Containing Histamine H <sub>3</sub> Receptor Antagonist: <i>In Vitro</i> And <i>In Vivo</i> Studies," The Journal Of Pharmacology And Experimental Therapeutics, 275(2):598-604 (1995).
C68	Tedford, "Clinical Application Of HA H <sub>3</sub> Receptor Antagonists In Learning And Memory Disorders," The Histamine H <sub>3</sub> Receptor 269-286 (1998)
C69	Toshimitsu et al., "Preparation, Structure, And Reactivity Of Pentacoordinate Disilanes Bearing An 8-Charcogeno-1-Naphthyl Group And A Heteroatom On The Same Silicon Atom," Heteroatom Chemistry 12(5):392-397 (2001)
C70	
C71	Wolfe et al., "Rational Development Of Practical Catalysts For Aromatic Carbon- Nitrogen Bond Formation," Acc. Chem. Res. 37:805-818 (1998)
C72	
C73	Yamada et al., "A Biogenetic-Type Asymmetric Cyclization Syntheses Of Optically Active α-Cyclocitral And Trans-α-Damascone," Tetrahedron Letters 5:381-384 (1973)
C74	
C75	Yang et al., "Palladium-Catalyzed Animation Of Aryl Halides And Sulfonates," Journal Of Organometallic Chemistry 576:125-146 (1999)
C76	
C77	Yokoyama et al., "Effect Of Thioperamide, A Histamine H <sub>3</sub> Receptor Antagonist, On Electrically Induced Convulsions In Mice," Journal Of Pharmacology, 234:129-133 (1993).
C78	
C79	Zou et al., "Ag(I)-Promoted Suzuki-Miyaura Cross-Couplings Of N-Alkylboronic Acids," Tetrahedron Letters 42:7213-7215 (2001)
EXAMINER	DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citat ion if not in conformance and not considered. Include copy of this form with next communication to applicant.

(Form PTO 1449)